

Sample Name :Gastric Inhibitory Peptide (GIP), human
 Cat. No. :RP10795 Lot. No. :PE2611806

Pump A : 0.065% trifluoroacetic in 100% water (v/v)
 Pump B : 0.05% trifluoroacetic in 100% acetonitrile (v/v)
 Total Flow:1 ml/min
 Wavelength:220 nm


Time	Unit	Command	Value	Comment
0.01	Pumps	Pump A B.Conc	5	
25.00	Pumps	Pump A B.Conc	65	
25.01	Pumps	Pump A B.Conc	95	
27.00	Pumps	Pump A B.Conc	95	
27.01	Pumps	Pump A B.Conc	5	
35.00	Pumps	Pump A B.Conc	5	
35.01	Controller	Stop		

<<Column Performance>>

<Detector A>

Column : Inertsil ODS-3 4.6 x 250 mm

Chromatogram



1 Det.A Ch1 / 220nm

Peak Table

Detector A Ch1 220nm

Peak#	Ret. Time	Area	Height	Area %
1	16.850	31533	7840	0.838
2	16.918	50901	8708	1.353
3	17.300	17232	4140	0.458
4	17.532	3604342	513297	95.823
5	18.161	37725	5238	1.003
6	18.437	6737	1062	0.179
7	19.207	7319	1049	0.195
8	19.304	5670	1159	0.151
Total		3761460	542493	100.000